

Eclipse Scout

The new Java Web-framework

Olav.Lenz @ bsi-software.com

Agenda

→ What's Scout
→ 16 Years of technology
→ Java: Building with Maven
→ HTML5: Themes and Styling

Eclipse Scout

Scout Framework

- → Built for Business Applications
- → Multi Device support
- → Based on Java and HTML5, CSS3, JS

Framework Goals

- → Long term strategy (enterprise apps live > 10 years)
- → Boosts productivity (producing software in Switzerland ...)
- → Easy to learn (new team members productive in 1-2 weeks)

Eclipse Scout Neon Release

Q 1/2 (xx,xy) Code(0,1.1380) 2xxxxy Code(0,1.1380) 2xxxy Code(0,1.1380) 2xxxy Code(0,1.1380) 2xxxy Code(0,1.1380) 2xxxy Code(0,1.1380) 2xxy Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) Code(0,1.1380) </th <th>The second secon</th>	The second secon
2 Table Advancementagenerations North North North Datestic	and Area () () () and () and ()
	and Area () () () and () and ()
2 Addres 2 Addres 1 Mark 2000 200 200 200 400 400 10000 0000 000	and Area () () () and () and ()
Exc.end End-matrix-spanner/Code Heff Type Code/Distance	and Area () () () and () and ()
ID OR Carting some 140 figen Original (DB1A) Some figen Some figen </td <td>and Area () () () and () and ()</td>	and Area () () () and () and ()
Image: State in the state i	and Area () () () and () and ()
Bit Offic handwood Bit Of	and Area () () () and () and ()
BO (Philippe Grants	and Area () () () and () and ()
INCOMPANY 100 1gev 740/0 7/m m Read 1gev 7/m m Read 1gev 7/m m Read 1gev 7/m m 1gev 1gev 7/m m 1gev 1gev <t< td=""><td>and Area () () () and () and ()</td></t<>	and Area () () () and () and ()
1 Q 200 igen Fall Starling Charling Charling<	n 🕼 had darkfearra 3 🗉 han 👘 n
No control we data stratigned Author Fundame F	n 🕼 had darkfearra 3 🗉 han 👘 n
10 100 20	
Image: Contract in the second seco	Eistomfickfinkant Note
Autors (xr)	4 Separate 4 Separate
Farmen A V TRUG Plazh (1) Sum Annuel (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
Pressoner I Automate Same Andreas Andr	
Autor Variance Variation Sprace Use C Variance Provide	
Tabeb Myer Polin Definit Schereit Uwen and trace Definition 1 Schereit Uwen	
Ecs. Subsocritik Erstedstr Acta Deprivation	
Reinzulik Advert	
Adaption P O O P O P O P O P O P O P O P O P O	
DAtronite 20 Godin 10 4 9 Protection 20 Pr	
Auftrige 1 2 Marks 20 Particip	Taska for
B Modelal B Modelal Prove Direct Dire	**************************************
CRM für Carekix (14-7-H)	
PARFOX - B provide service and a service servi	Security indicate, burdli 2 (setal) secient
1 B Hollywoode (1/2 Practitioneton, present, press) (2/2 Practitioneton,	and the second state of th
	ets Wildow securities crock
Rolen Constant	ets Wildow securities crock
	ets Wildow securities crock
	ets Wildow securities crock
	ets Wildow securities crock

Back to the Future ...

Let's go back to ...






Copyright @1998 Google Inc.

= C:\					. 0 >
<u>File Edit View G</u> o	F <u>a</u> vorites <u>H</u> e	lp			(A)
🔶 🌩 - Back Forward -		X I		ど) Undo	Delet
Address 🖃 C:\					
Links 🕘 Best of the Web	🖉 Channel Gu	ide 🙋 Cus	tomize Links 🧯	Free HotMail	• ال
Windows 98 (C:)	Acrobat3	Compaq	Gdotm	Kpcms	
Select an item to view its description.	My Documents	Orawin Drawin Pkware	Orawin95	Other	
18 object(s)		5.47 🛄	My Computer	A 2952404040.0000	-



🧊 ors X							_ 🗆 X
Datei Extras ?							
👶 🗊 🎾	💑 🏷						
Standardsicht Eigene Sicht Mgmt Repor	ts Marketing Intern St	ammdaten					
E 🕹 Schmidt, Daniel (BSI BADEN) E 🗐 Firmen	Kennwort unterlagen bsi und pro	jektsteuerung in ors2i 20	ermin Erledigt am	Verantwortlich Schmidt, Daniel	Projekt Firma ARXES	Kontaktperson Arndt, Detlef	Telefon +49 30
ARXES ARXES Ansprechps Ansprechps	JAVA*	<>	m	/>			
 	Details Kennwort Termin von	1 bis	12	Pendenztyp	Nur hohe Priori	tät	Q
Menu	Erledigt am von	🛅 bis	12		✔ Offene		
Standardverteiler	Verantwortlich Registriert von				 Erledigte 		
🕀 🗹 Pendenzen	Details Fir	men und Per Projekt	sonderabfrage			Zurücksetzen	<u>S</u> uche
1 Datensatz	-						





Eclipse Scout 2011

• 🚽 🕑						bsi.crn	n						
Standard view	Personal view	Reports	Marketing	Contact	Center Hum	ian Resource	s Administration	CPM BSHT		२ ≻	C	*	4
🐨 Companies			▲ Name		≁ Given name	Language	Main account manager	Phone	Mobile phone	F-mail			
a 🚽 🚮 BSI BADEN		-	🔒 Fleseriu		Gabriel	Deutsch	Pedersen, Morten	+41 (56) 484 1			riu@bsiad	com	
Þ — 💐 Corporate	structure		Frei		Pascale	Deutsch	Isler, Claudia	+41 (56) 484 1					
👂 — 💐 Contact pe	erson		Funk		Uwe	Deutsch	Pedersen, Morten	+41 (56) 484 1		CO 0200720			
Þ— 💐 Mandates			2 Goloomo		Mothion	Doutoch	Drupold Modeus	144 /EGV 404 4		matthias.gei		hsia	
🕨 💐 Relationst	nips									lavid.gerhar			
Þ— 💐 Targeting	plan									:laudio.quqli			
Þ 🤍 💐 Projects						1				anders.hans		175	
Þ 🛁 💐 Marketing										andersandits	on Woold P		
📥 Installed b	asis					11				10lger.heym	anne@hei	auc	
S Payments										justav.hilper	25020 G	- 52	
Þ 🗾 🗊 Tickets							-			oger.hitz@b		onn	
Þ 💁 Business	cases				<	-		TA		nuriel.hochu		com	
28 Activities					•	-	ec	npse		andreas.hoe			
🚽 🗹 Tasks						_	-			nark.huber@		ag.c	
💐 Persons										:eno.hug@b			
💐 Projects						21/0	R			sion.huws@		8	
💐 Tickets						ava	1			:laudia.islen			
💐 Activities										.rauura.rsten (evin.kirn@b		μ <u>ι</u>	
💐 Tasks										1109080 200 X 10 0 00			
💐 Documents										pruno.koefer			
			📑 Kristians		Ulrik	Deutsch		11 /56\ 404 1	+41 (79) 433	sigrid.kristian		0.000	
			Leicht	en			Soitel Boter						
			Leicht		Stephan Alberto	Deutsch Deutsch	Seitel, Peter	+41 (56) 484 1	+41 (79) 400	stephan.leic	00.000 (10.000 (10.000))	2011	
			Meer				Rusche, Christian	+41 (56) 404 4				~	
			Meer		Astrid	Deutsch	Schöb, Benjamin	+41 (56) 484 1		astrid.meer@			
			100000000	1	Stephan	Deutsch	Moser, Samuel	+41 (56) 484 1					
			la Mittmanr		Johannes Max		Nielsen, Jan Klint	+41 (56) 484 1		max.mittmar			
			A Mortasav	VI	Mazda	Deutsch	Moser, Samuel	+41 (56) 484 1					
			🛔 Moser		Adrian	Deutsch	Reichlin, Benedikt	+41 (41) 766 8		adrian.mose	r@bsiag.c	om	

Eclipse Scout 2012




Eclipse Scout 2015/16



Eclipse Scout Neon Java: Building with Maven

Once upon a time...




Standard Maven Project

- >> {project name}.ui.html
- > {project name}.ui.html.app.dev
- >> {project name}.server.app.war
- >> {project name}.ui.html.app.war

Maven Integration for Eclipse m2e

→ Works as expected



Maven CLI

🖬 C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601] Copyright (c) 2009 Microsoft Corporation. All rights reserved.
C:\Users\jbr\code\ugm2015\com.company.sandbox.parent>mvn clean verify [INF0] Scanning for projects
[INFO] Reactor Build Order:
[INFO]
[INFO] com.company.sandbox.parent
[INFO] com.company.sandbox.shared
[INFO] com.company.sandbox.server
[INFO] com.company.sandbox.client
[INFO] com.company.sandbox.server.app.war [INFO] com.company.sandbox.ui.html
[INFO] com.company.sandbox.ui.html.app.war
[INFO]
[]NF0]
[INFO] Building com.company.sandbox.parent 1.0.0-SNAPSHOT
[INF0]
[INFO] maven-clean-plugin:2.5:clean (default-clean) @ com.company.sandbox.parent
[INFO] [INFO] build-helper-maven-plugin:1.9.1:add-source (add-source) @ com.company.sandbox.paren
[INFO] Source directory: C:\Users\jbr\code\ugm2015\com.company.sandbox.parent\src\main\webapp
[INFO] Source directory: C:\Users\jbr\code\ugm2015\com.company.sandbox.parent\src\generated\ja
[INFO]
[INF0] >>> maven-source-plugin:2.4:jar (attach-sources) > generate-sources @ com.company.sandb
CINF0]
[INFO] build-helper-maven-plugin:1.9.1:add-source (add-source) @ com.company.sandbox.paren
[INFO] Source directory: C:\Users\jbr\code\ugm2015\com.company.sandbox.parent\src\main\webapp
[INFO] Source directory: C:\Users\jbr\code\ugm2015\com.company.sandbox.parent\src\generated\ja

Eclipse Scout Neon HTML5: Styling and Themes

Themes and Styling with Scout

Technology

→ CSS3 + Less

CSS Organisation

- → Global Less files (colors, fonts, sizes, ...)
- Component specific Less files (Form, Field, Button...)
- → Optional: Project specific Less files
- → Theme: Named set of Less files

From Less to final CSS


- 1. Assemble set of all applicable Less files
- 2. Process Less files and create single big CSS file
- 3. Minify CSS and sent it to browser

From Less to final CSS


Implemented Process

- 1. Project specific files override Scout default
- 2. Assemble set of all applicable Less files
- 3. Process Less files and create single big CSS file
- 4. Minify CSS and sent it to browser


Default Theme



Dark Theme



Rayo Theme



Styling


Global Styling

- → Globally change application colors, fonts, ...
- Simple and low effort
- → Example: Color of data fields


Styling of Components

- Change individual elements
- Powerful but more CSS knowledge requried
- → Example: Appearance of dialogs

Global Styling Colors of Data Fields



Styling of individual Component Appearance of Dialogs



Eclipse Scout Neon Summary

Summary – Part 1

The Scout Story

- → Changes in platform technology
- → Many Changes in UI technology
- Product code was never thrown away for 15 years

What can Scout do for you?

- → Help to efficiently implement business apps
- Protect your investment over many, many years

Summary – Part 2

The new Java Platform

- Directly based on Java
- Maven «by the books»

The new HTML5 UI

- Directly based on HTML5/CSS3/JavaScript
- Powerful theming and styling

Thanks

@EclipseScout У